

AD-A099 202

NEW YORK UNIV N Y DEPT OF CHEMISTRY

F/6 7/4

PHOTOELECTRON EMISSION SPECTROSCOPY OF LIQUID WATER.(U)

APR 81 P DELAHAY, K VON BURG

N00014-75-C-0397

UNCLASSIFIED

TR-15

NL

1 of 1
AD-A099 202



END
DATE
FILMED
6-81
DTIC

AD A099202

DTIC FILE COPY

OFFICE OF NAVAL RESEARCH

Contract N00014-75-C-0397

Task No. NR 051-258

TECHNICAL REPORT NO. 15 (New Series)

Photoelectron Emission Spectroscopy of Liquid Water.

by

Paul Delahay and Kathrin von Burg

Prepared for publication

in

Chemical Physics Letters

New York University
Department of Chemistry
New York, NY

April 1981

DTIC
ELECTE

MAY 21 1981

A

Reproduction in whole or in part is permitted for
any purpose of the United States Government

This document has been approved for public release
and sale; its distribution is unlimited

44-817
81 5 19 033

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 15 (New Series)	2. GOVT ACCESSION NO. AD-11099	3. RECIPIENT'S CATALOG NUMBER 303
4. TITLE (and Subtitle) PHOTOELECTRON EMISSION SPECTROSCOPY OF LIQUID WATER		5. TYPE OF REPORT & PERIOD COVERED Technical Report
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Paul Delahay and Kathrin von Burg		8. CONTRACT OR GRANT NUMBER(s) ✓ N00014-75-C-0397
9. PERFORMING ORGANIZATION NAME AND ADDRESS New York University New York, NY 10003		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS NR 051-258
11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research Arlington, VA 22217		12. REPORT DATE April 1981
		13. NUMBER OF PAGES 21
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report)
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) This document has been approved for public release and sale; its distribution is unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Submitted for publication in Chemical Physics Letters		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Hydroxide ion Photoelectron spectroscopy Reorganization free energy Water, liquid		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The threshold energy $E_t = 10.06$ eV (0.002 eV standard deviation) is determined for photoelectron emission by liquid water and is correlated with $E_t = 8.45$ eV for $\text{OH}^-(\text{aq})$. Free energy changes and standard reduction potentials are calculated for both emission processes. Reorganization free energies are correlated to solvation free energies for $\text{H}_2\text{O}^+(\text{aq})$ and $\text{OH}^-(\text{aq})$.		

DD FORM 1473
1 JAN 73

EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-LF-014-6601

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

PHOTOELECTRON EMISSION SPECTROSCOPY OF LIQUID WATER


PAUL DELAHAY and KATHRIN von BURG

Department of Chemistry, New York University, 4 Washington Place, Room 514,
New York, NY 10003, U.S.A.

Received

The threshold energy $E_t = 10.06$ eV (0.002 eV standard deviation) is determined for photoelectron emission by liquid water and is correlated with $E_t = 8.45$ eV for $\text{OH}^-(\text{aq})$. Free energy changes and standard reduction potentials are calculated for both emission processes. Reorganization free energies are correlated to solvation free energies for $\text{H}_2\text{O}^+(\text{aq})$ and $\text{OH}^-(\text{aq})$.

The photoionization of liquid water was investigated in [1] by means of photoelectron emission spectroscopy, and the emission threshold energy was estimated at $E_t = 9.3 \pm 0.3$ eV. The same photon energy (within ± 0.1 eV) was deduced for the injection of holes in liquid water in a photoelectrochemical study of gold electrodes [2]. Great care was taken in [1] to avoid spurious emission by traces of insoluble organic impurities. Yet, subsequent work on inorganic anions (see fig. 1 in [3]) in which two potential sources of contamination were eliminated (sec. 1) indicated that the 9.3 eV threshold energy is definitely too low. A new investigation of water was undertaken. Its results are reported here and are correlated with the data for photoelectron emission by hydroxide ion.



1. Results

The emission spectrometer was the same as in [1] except for two improvements. The polyethylene cylinder insulating electrically the rotating quartz disk (target) from its metallic shaft was replaced by a nylon cylinder. The quartz disk was fastened to the insulating cylinder by means of a nylon screw instead of being cemented. These changes were made prior to the work in [3,4]. The LiF window between the hydrogen lamp and the monochromator was replaced by a new window after the determination of only three spectra. This was done to lower the noise level and stray light errors arising from fogging of the window by color centers. Yields were corrected for attenuation of the photon flux by water vapor in the 1 mm gap between the water surface being irradiated and the opposite LiF window. The correcting factor computed from data in [5] was taken to decrease linearly from 1.1 to 1.05 from 9.90 to 10.77 eV. The signal of the photomultiplier tube monitoring the photon flux was multiplied by a factor increasing linearly by 8% between 9.90 and 10.77 eV (data from [6]). This correction compensated for attenuation of the photon flux in the LiF window opposite to the water surface. Spectra were determined repeatedly until a constant threshold energy was obtained.

The spectrum of fig. 1 shows no noticeable emission below 9.9 eV (vs. ca. 9.3 eV in [1]), and yields are markedly lower than in [1], e.g., by a factor of ca. 6 at 10.3 eV. Each point of the spectrum in fig. 1 represents the average of eight measurements each of which was made with a fresh water sample. The threshold energy $E_t = 10.06$ eV (0.002 eV standard deviation) was determined from a linear plot (97 points from 10.2 to 10.77 eV, fig. 1) of the yield Y to the power 0.5 against photon energy [7]. A statistical F-test [8] unambiguously shows that the best linear fit of the data is obtained with the exponent 0.5 of the yield. Departure from linearity near the threshold,


which is usual [3,4], arises from complications not taken into account in theory [7]. Logarithmic dependence of the yield on photon energy fits the data very poorly ($F \approx 2,000$), and there is no Urbach edge (cf. [1]).

2. Photoelectron emission by liquid water

Emission by liquid water will be interpreted on the basis of the equation [3,4],

$$\Delta G_e = \Delta G + \Delta G_H - \Delta G_r + |e|\chi, \quad (1)$$

where e is the electronic charge and χ the surface potential at the water-water vapor interface. The free energies ΔG_e , ΔG_r , $-\Delta G$, $-\Delta G_H$ pertain, respectively, to the reactions,



The free energy of photoelectron emission ΔG_e according to (2) includes the contribution for electronic polarization of the medium by $H_2O^+(aq_*)$ but not for orientation polarization (Franck-Condon principle). The reorganization free energy ΔG_r for (3) is the sum of the contributions for orientation polarization of the medium and vibrational and rotational relaxation of the ion produced by photoionization. The latter contribution is negligible since interatomic distances hardly change in the photoionization of H_2O in the gas phase [9]. The free energy $\Delta G_H = 4.50$ eV [10] correlates the free energies referred to the vacuum level of the electron to the free energies referred to the $H^+(aq)/1/2 H_2(g)$ couple. The quantity ΔG_H does not include the contribution from the surface potential $\chi = \pm 0.1$ V [11].

The free energy ΔG_e differs from the threshold energy E_t because of the contribution from the surface potential χ and possibly a systematic shift

inherent to the extrapolation method and theory [7] yielding E_t . It was found in [3] that measured E_t 's and calculated ΔG_e 's for Cl^- , Br^- , I^- agree within the uncertainty arising from the surface potential. There is no reason to expect a different conclusion for other photoionized species, and the relationship $\Delta G_e \approx E_t$ should hold in general. Thus, we set $\Delta G_e \approx E_t = 10.06 \text{ eV}$ in (1) for liquid water.

Lower and upper limits of the free energy ΔG in (1) will be obtained. The ions $\text{H}_2\text{O}^+(\text{aq})$ and $\text{OH}^-(\text{aq})$ are of comparable size, and consequently their solvation and reorganization free energies should not be very different. If one uses the value $\Delta G_r = -1.98 \text{ eV}$ for $\text{OH}^-(\text{aq})$ (sec. 3) in (1), one computes $\Delta G = 3.58 \text{ eV}$. Another limit can be set on the value of ΔG by using the gas-phase first ionization energy of water $I = 12.61 \text{ eV}$ [9]. The quantity I is an enthalpy, and the entropy contribution to gas-phase ionization is neglected. One has $I > \Delta G_e$ for two reasons: electronic polarization of the medium by the ion $\text{H}_2\text{O}^+(\text{aq}_*)$ produced by (2) and distribution of density of states in the liquid [12]. One can assume that the free energy of vaporization of water is nearly compensated by the contribution to the solvation free energy of $\text{H}_2\text{O}^+(\text{g})$ not arising from the ionic charge. Thus, $I - \Delta G_e > -\Delta G_{\text{ep}}$, where ΔG_{ep} is the contribution from electronic polarization of the medium to the solvation free energy ΔG_s of $\text{H}_2\text{O}^+(\text{aq})$. The quantity ΔG_s is the solvation real energy in electrochemical terminology (e.g., [13]). Thus, $\Delta G_{\text{ep}} > 10.06 - 12.61 \text{ eV}$ or $\Delta G_{\text{ep}} > -2.55 \text{ eV}$. The ratio $\Delta G_r/\Delta G_s$ is close to 0.50 for the halides (Table 1) and $\text{OH}^-(\text{aq})$ (sec. 3), and it will be assumed that this ratio is also near 0.50 for $\text{H}_2\text{O}^+(\text{aq})$. Hence, $\Delta G_{\text{ep}} \approx \Delta G_r$ for $\text{H}_2\text{O}^+(\text{aq})$, and $\Delta G_r > -2.55 \text{ eV}$. The corresponding limit is $\Delta G > 3.01 \text{ eV}$. Combining this limit with the upper limit $\Delta G = 3.58 \text{ eV}$, one concludes that $\Delta G = 3.3 \pm 0.3 \text{ eV}$.



This result is consistent with the value $\Delta G = 3.4 \pm 0.5$ eV estimated in [15] from thermodynamic and kinetic data.

The changes of free energy for photoelectron emission by water are displayed in fig. 2. The corresponding standard reduction potentials are also shown. Reactions are written as oxidations (from left to right) for the scale of free energies and as reductions for the scale of standard potentials.

The least photon energy required for photolysis of water with production of hydrated electrons $e^-(aq)$ can be estimated [15] from $E^0 = 3.3 \pm 0.3$ eV for $H_2O^+(aq)/H_2O(aq)$ and $E^0 = -2.77$ eV [16] for $e^-(aq)$. Thus, a photon energy of at least $2.77 + 3.3 \pm 0.3 \approx 6.1 \pm 0.3$ eV is required to produce $e^-(g)$. Formation of this species is indeed observed below 6.5 eV [16].

3. Photoelectron emission by hydroxide ion

The previously reported [3] threshold energy $E_t = 8.45$ eV of $OH^-(aq)$ ion was confirmed in the present investigation. This result will be interpreted by the sequence of reactions:



The hydroxyl $OH(aq_*)$ produced by photoionization in (6) has initially the solvation configuration of $OH^-(aq)$ except for the loss of electronic polarization. Subsequent reorganization in (7) yields $OH(aq)$. The O-H interatomic distance can be taken as constant during this process since this distance is the same within 0.002 Å for $OH^-(g)$ and $OH(g)$ [17]. The loss of orientation polarization therefore is the sole contribution to ΔG_r for (7). The effect of OH^- on the surface potential of water is considerably smaller than that of Cl^- [13], and the corresponding uncertainty can be taken to be that of water, namely ± 0.1 V [11].

The value of ΔG_e deduced from (6) to (9) is given by eq. (1) where $\Delta G_e \approx E_t = 8.45$ eV and $\Delta G = 1.97$ eV [15]. One computes from (1) $\Delta G_r = 1.98 \pm 0.1$ eV. The changes of free energy and standard reduction potentials are shown in fig. 2 for photoelectron emission by hydroxide ion.

The ratio $\Delta G_r/\Delta G_s$ for the hydroxide ion will be determined to complement the results of Table 1. The solvation enthalpy of $\text{OH}^-(\text{aq})$ is -4.78 ± 0.25 eV [18]. This quantity can also be computed from a cycle of reactions involving the electron affinity (1.83 ± 0.04 eV [17]) of $\text{OH}(\text{g})$. The free energy ΔG_s for this cycle can also be calculated if the unknown entropy contribution is neglected for the process $\text{OH}(\text{g}) + e^-(\text{g}) = \text{OH}^-(\text{g})$. The entropy contribution to the solvation free energy ΔG_s of $\text{OH}^-(\text{aq})$ is estimated in this way at ca. 0.6 eV from the enthalpy and free energy calculations. Thus, $\Delta G_s = -4.78 + 0.6 \pm 0.25 \approx -4.2 \pm 0.3$ eV. Since $\Delta G_r = -1.98 \pm 0.1$ eV for $\text{OH}^-(\text{aq})$, one obtains $0.44 < \Delta G_r/\Delta G_s < 0.51$. This result is comparable to the more accurate ratios for the halides in Table 1.

4. Correlation between the threshold energies of water and hydroxide ion

The threshold energies of $\text{H}_2\text{O}(\text{aq})$ and $\text{OH}^-(\text{aq})$ will be correlated using fig. 3. The levels at -2.46 and -1.63 eV in this diagram correspond, respectively, to the free energies of formation of $\text{H}_2\text{O}(\text{aq})$ and $\text{OH}^-(\text{aq})$ [19]. These levels differ by $0.0592 \log 10^{-14} = -0.83$ eV. One has $\Delta G = 3.3 \pm 0.3$ eV, $\Delta G_H = 4.5$ eV, $\Delta G_r = -2.26 \pm 0.3$ eV for emission by $\text{H}_2\text{O}(\text{aq})$ (sec. 2). Likewise, $\Delta G = 1.97$ eV, $\Delta G_H = 4.5$ eV, $\Delta G_r = -1.98 \pm 0.1$ eV for emission by $\text{OH}^-(\text{aq})$ (sec. 3). One deduces from fig. 3,

$$\begin{aligned} \Delta G_e(\text{H}_2\text{O}) - \Delta G_e(\text{OH}^-) &= [\Delta G(\text{OH}^-) - \Delta G(\text{H}_2\text{O})] \\ &+ [\Delta G(\text{H}_2\text{O}^+) - \Delta G(\text{OH})] + [\Delta G_r(\text{OH}) - \Delta G_r(\text{H}_2\text{O}^+)] \\ &= (-1.63 + 2.46) + (0.84 - 0.34) + (-1.98 + 2.26) \\ &= 0.83 + 0.50 + 0.28 \\ &= 1.61 \text{ eV.} \end{aligned}$$

(10)

The symbol (aq) is deleted from all species in (10) to simplify the writing. The sum of the quantities between the first and second pairs of brackets in (10) represents the difference between the free energy changes $\Delta G = 3.3$ and 1.97 eV for emission by $\text{H}_2\text{O}(\text{aq})$ and $\text{OH}^-(\text{aq})$.

The threshold energies ($\Delta G_e \approx E_t$, sec. 2) of $\text{H}_2\text{O}(\text{aq})$ and $\text{OH}^-(\text{aq})$ are different, according to (10), for the following reasons: (i) The free energy of formation is less negative by 0.83 eV for $\text{OH}^-(\text{aq})$ than for $\text{H}_2\text{O}(\text{aq})$. This is the case because water is only slightly dissociated. (ii) The $\text{OH}(\text{aq})$ radical does not protonate even in acid (1 M) solution [15], and therefore the free energy of formation of $\text{H}_2\text{O}^+(\text{aq})$ must be more positive than that of $\text{OH}(\text{aq})$. Decomposition of $\text{H}_2\text{O}^+(\text{aq})$ into $\text{OH}(\text{aq})$ and $\text{H}^+(\text{aq})$ is favored. (iii) The reorganization free energies of $\text{H}_2\text{O}^+(\text{aq})$ and $\text{OH}(\text{aq})$ are not equal (but not very different).

Acknowledgment

This work was supported by the Office of Naval Research and the National Science Foundation.

References

- [1] I. Watanabe, J. B. Flanagan and P. Delahay, J. Chem. Phys. 73 (1980) 2057.
- [2] T. Watanabe and H. Gerischer, J. Electroanal. Chem., in press.
- [3] K. von Burg and P. Delahay, Chem. Phys. Lett. 78 (1981) 287.
- [4] P. Delahay, K. von Burg and A. Dziedzic, Chem. Phys. Lett., accepted.
- [5] K. Watanabe and M. Zelikoff, J. Opt. Soc. Am. 43 (1953) 753.
- [6] Product data 220, Acton Research Co. (Acton, MA).
- [7] A. M. Brodsky and A. V. Tsarevsky, J. Chem. Soc. Faraday Trans. II 72 (1976) 1781.
- [8] P. R. Bevington, Data reduction and error analysis for the physical sciences (McGraw-Hill, New York, 1969, p. 199).

- [9] D. W. Turner, C. Baker, A. D. Baker and C. R. Brundle, Molecular photoelectron spectroscopy (Wiley, New York, 1970, p. 78).
- [10] R. M. Noyes, J. Am. Chem. Soc. 86 (1964) 971.
- [11] B. Case and R. Parsons, Trans. Faraday Soc. 63 (1967) 1224.
- [12] A. Henglein, Ber. Bunsenges. Phys. Chem. 78 (1974) 1078.
- [13] J. E. B. Randles, Trans. Faraday Soc. 52 (1956) 1573.
- [14] J. Jortner and R. M. Noyes, J. Phys. Chem. 70 (1966) 770.
- [15] A. J. Frank, M. Grätzel and A. Henglein, Ber. Bunsenges. Phys. Chem. 80 (1976) 593.
- [16] E. J. Hart and M. Anbar, The hydrated electron (Wiley, New York, 1970, pp. 10, 62).
- [17] L. M. Branscomb, Phys. Rev. 148 (1966) 11.
- [18] H. F. Halliwell and S. C. Nyburg, Trans. Faraday Soc. 59 (1963) 1126.
- [19] W. M. Latimer, Oxidation Potentials, 2nd ed. (Prentice-Hall, New York, 1952, p. 39).

Table 1

Experimental and calculated $\Delta G_r/\Delta G_s$ ratios for the halides

	$E_t^a)$ (eV)	$\Delta G^b)$ (eV)	$-\Delta G_r$ (eV)	$-\Delta G_s$ (eV)	$\Delta G_r/\Delta G_s$ (experimental)	$\Delta G_r/\Delta G_s^c)$ (theory)
F^-	-	-	-	4.66	-	0.50
Cl^-	8.81	2.51	1.80	3.46	0.52	0.50
Br^-	8.05	1.98	1.57	3.18	0.49	0.49
I^-	7.19	1.32	1.37	2.81	0.49	0.48

a) With correction for absorption in water vapor and LiF window (sec. 1).

b) ΔG for $X^-(aq) = X(aq) + e^-(g)$. ΔG includes $\Delta G_s = 0.06$ eV for $X(g) = X(aq)$ [10].

c) ΔG_s calculated from eq. (8) in [14]. $\Delta G_r = \Delta G_s - \Delta G_{ep}$, where ΔG_{ep} (< 0) is computed from the Born equation.

Captions to Figures

Fig. 1. Photoelectron emission spectrum of liquid water at 1.5°C (curve A) and plot of the yield (Y) to the power $n = 0.5$ vs. photon energy (line B). Plot for statistical F-test of the exponent n of the yield in inset. $F = R^2(N - 2)/(1 - R^2)$, where R is the correlation coefficient for least square fitting of line B and N the number of points.

Fig. 2. Free energy changes (vs. vacuum level of the electron) and standard reduction potentials for photoelectron emission by water and hydroxide ion. Uncertainties given in text.

Fig. 3. Free energies of formation and free energy changes for photoelectron emission by water and hydroxide ion. Symbol (aq) deleted from all species. $e^-(g)$ represents the electron in the gas phase.




FIG. 1




FIG. 2




FIG. 3

TECHNICAL REPORT DISTRIBUTION LIST, GEN

	<u>No. Copies</u>		<u>No. Copies</u>
Office of Naval Research Attn: Code 472 800 North Quincy Street Arlington, Virginia 22217	2	U.S. Army Research Office Attn: CRD-AA-IP P.O. Box 1211 Research Triangle Park, N.C. 27709	1
ONR Branch Office Attn: Dr. George Sandoz 536 S. Clark Street Chicago, Illinois 60605	1	Naval Ocean Systems Center Attn: Mr. Joe McCartney San Diego, California 92152	1
ONR Area Office Attn: Scientific Dept. 715 Broadway New York, New York 10003	1	Naval Weapons Center Attn: Dr. A. B. Amster, Chemistry Division China Lake, California 93555	1
ONR Western Regional Office 1030 East Green Street Pasadena, California 91106	1	Naval Civil Engineering Laboratory Attn: Dr. R. W. Drisko Port Hueneme, California 93401	1
ONR Eastern/Central Regional Office Attn: Dr. L. H. Peebles Building 114, Section D 666 Summer Street Boston, Massachusetts 02210	1	Department of Physics & Chemistry Naval Postgraduate School Monterey, California 93940	1
Director, Naval Research Laboratory Attn: Code 6100 Washington, D.C. 20390	1	Dr. A. L. Slafkosky Scientific Advisor Commandant of the Marine Corps (Code RD-1) Washington, D.C. 20380	1
The Assistant Secretary of the Navy (RE&S) Department of the Navy Room 4E736, Pentagon Washington, D.C. 20350	1	Office of Naval Research Attn: Dr. Richard S. Miller 800 N. Quincy Street Arlington, Virginia 22217	1
Commander, Naval Air Systems Command Attn: Code 310C (H. Rosenwasser) Department of the Navy Washington, D.C. 20360	1	Naval Ship Research and Development Center Attn: Dr. G. Bosmajian, Applied Chemistry Division Annapolis, Maryland 21401	1
Defense Technical Information Center Building 5, Cameron Station Alexandria, Virginia 22314	12	Naval Ocean Systems Center Attn: Dr. S. Yamamoto, Marine Sciences Division San Diego, California 91232	1
Dr. Fred Saalfeld Chemistry Division, Code 6100 Naval Research Laboratory Washington, D.C. 20375	1	Mr. John Boyle Materials Branch Naval Ship Engineering Center Philadelphia, Pennsylvania 19112	1

TECHNICAL REPORT DISTRIBUTION LIST, GENNo.
Copies

Dr. Rudolph J. Marcus
Office of Naval Research
Scientific Liaison Group
American Embassy
APO San Francisco 96503

1

Mr. James Kelley
DTNSRDC Code 2803
Annapolis, Maryland 21402

1

TECHNICAL REPORT DISTRIBUTION LIST, 359

	<u>No. Copies</u>		<u>No. Copies</u>
Dr. Paul Delahay Department of Chemistry New York University New York, New York 10003	1	Dr. P. J. Hendra Department of Chemistry University of Southampton Southampton SO9 5NR United Kingdom	 1
Dr. E. Yeager Department of Chemistry Case Western Reserve University Cleveland, Ohio 44106	1	Dr. Sam Perone Department of Chemistry Purdue University West Lafayette, Indiana 47907	 1
Dr. D. N. Bennion Department of Chemical Engineering Brigham Young University Provo, Utah 84602	1	Dr. Royce W. Murray Department of Chemistry University of North Carolina Chapel Hill, North Carolina 27514	 1
Dr. R. A. Marcus Department of Chemistry California Institute of Technology Pasadena, California 91125	1	Naval Ocean Systems Center Attn: Technical Library San Diego, California 92152	 1
Dr. J. J. Auborn Bell Laboratories Murray Hill, New Jersey 07974	1	Dr. C. E. Mueller The Electrochemistry Branch Materials Division, Research & Technology Department Naval Surface Weapons Center White Oak Laboratory Silver Spring, Maryland 20910	 1
Dr. Adam Heller Bell Laboratories Murray Hill, New Jersey 07974	1	Dr. G. Goodman Globe-Union Incorporated 5757 North Green Bay Avenue Milwaukee, Wisconsin 53201	 1
Dr. T. Katan Lockheed Missiles & Space Co, Inc. P.O. Box 504 Sunnyvale, California 94088	1	Dr. J. Boechler Electrochimica Corporation Attention: Technical Library 2485 Charleston Road Mountain View, California 94040	 1
Dr. Joseph Singer, Code 302-1 NASA-Lewis 21000 Brookpark Road Cleveland, Ohio 44135	1	Dr. P. P. Schmidt Department of Chemistry Oakland University Rochester, Michigan 48063	 1
Dr. B. Brummer EIC Incorporated 55 Chapel Street Newton, Massachusetts 02158	1	Dr. F. Richtol Chemistry Department Rensselaer Polytechnic Institute Troy, New York 12181	 1
Library P. R. Mallory and Company, Inc. Northwest Industrial Park Burlington, Massachusetts 01803	1		

TECHNICAL REPORT DISTRIBUTION LIST, 359

	<u>No. Copies</u>		<u>No. Copies</u>
Dr. A. B. Ellis Chemistry Department University of Wisconsin Madison, Wisconsin 53706	1	Dr. R. P. Van Duyne Department of Chemistry Northwestern University Evanston, Illinois 60201	1
Dr. M. Wrighton Chemistry Department Massachusetts Institute of Technology Cambridge, Massachusetts 02139	1	Dr. B. Stanley Pons Department of Chemistry University of Alberta Edmonton, Alberta CANADA T6C 2G2	1
Larry E. Plew Naval Weapons Support Center Code 30736, Building 2906 Crane, Indiana 47522	1	Dr. Michael J. Weaver Department of Chemistry Michigan State University East Lansing, Michigan 48824	1
S. Rubv DOE (STOR) 600 E Street Washington, D.C. 20545	1	Dr. R. David Rauh EIC Corporation 55 Chapel Street Newton, Massachusetts 02158	1
Dr. Aaron Wold Brown University Department of Chemistry Providence, Rhode Island 02192	1	Dr. J. David Margerum Research Laboratories Division Hughes Aircraft Company 3011 Malibu Canyon Road Malibu, California 90265	1
Dr. R. C. Chudacek McGraw-Edison Company Edison Battery Division Post Office Box 28 Bloomfield, New Jersey 07003	1	Dr. Martin Fleischmann Department of Chemistry University of Southampton Southampton 509 5NR England	1
Dr. A. J. Bard University of Texas Department of Chemistry Austin, Texas 78712	1	Dr. Janet Osteryoung Department of Chemistry State University of New York at Buffalo Buffalo, New York 14214	1
Dr. M. M. Nicholson Electronics Research Center Rockwell International 3370 Miraloma Avenue Anaheim, California	1	Dr. R. A. Osteryoung Department of Chemistry State University of New York at Buffalo Buffalo, New York 14214	1
Dr. Donald W. Ernst Naval Surface Weapons Center Code R-33 White Oak Laboratory Silver Spring, Maryland 20910	1	Mr. James R. Moden Naval Underwater Systems Center Code 3632 Newport, Rhode Island 02840	1

TECHNICAL REPORT DISTRIBUTION LIST, 359

	<u>No. Copies</u>		<u>No. Copies</u>
Dr. R. Nowak Naval Research Laboratory Code 6130 Washington, D.C. 20375	1	Dr. John Kincaid Department of the Navy Strategic Systems Project Office Room 901 Washington, DC 20376	1
Dr. John F. Houlihan Shenango Valley Campus Pennsylvania State University Sharon, Pennsylvania 16146	1	M. L. Robertson Manager, Electrochemical Power Sonics Division Naval Weapons Support Center Crane, Indiana 47522	1
Dr. M. G. Sceats Department of Chemistry University of Rochester Rochester, New York 14627	1	Dr. Elton Cairns Energy & Environment Division Lawrence Berkeley Laboratory University of California Berkeley, California 94720	1
Dr. D. F. Shriver Department of Chemistry Northwestern University Evanston, Illinois 60201	1	Dr. Bernard Spielvogel U.S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709	1
Dr. D. H. Whitmore Department of Materials Science Northwestern University Evanston, Illinois 60201	1	Dr. Denton Elliott Air Force Office of Scientific Research Bldg. 104 Bolling AFB Washington, DC 20332	1
Dr. Alan Bewick Department of Chemistry The University Southampton, SO9 5NH England	1		
Dr. A. Himy NAVSEA-5433 NC #4 2541 Jefferson Davis Highway Arlington, Virginia 20362	1		

TECHNICAL REPORT DISTRIBUTION LIST, 051B

	<u>No. Copies</u>		<u>No. Copies</u>
Professor K. Wilson Department of Chemistry, B-014 University of California, San Diego La Jolla, California 92093	1	Dr. B. Vonnegut State University of New York Earth Sciences Building 1400 Washington Avenue Albany, New York 12203	1
Professor C. A. Angell Department of Chemistry Purdue University West Lafayette, Indiana 47907	1	Dr. Hank Loos Laguna Research Laboratory 21421 Stans Lane Laguna Beach, California 92651	1
Professor P. Meijer Department of Physics Catholic University of America Washington, D.C. 20064	1	Dr. John Latham University of Manchester Institute of Science & Technology P.O. Box 88 Manchester, England M601QD	1
Dr. S. Greer Chemistry Department University of Maryland College Park, Maryland 20742	1		
Professor P. Delahay New York University 100 Washington Square East New York, New York 10003	1		
Dr. T. Ashworth Department of Physics South Dakota School of Mines & Technology Rapid City, South Dakota 57701	1		
Dr. G. Gross New Mexico Institute of Mining & Technology Socorro, New Mexico 87801	1		
Dr. J. Kassner Space Science Research Center University of Missouri - Rolla Rolla, Missouri 65401	1		
Dr. J. Telford University of Nevada System Desert Research Institute Lab of Atmospheric Physics Reno, Nevada 89507	1		